

C-MIX PLUS



PRODUCT DESCRIPTION

- Styrene free polyester chemical mortar

PRODUCT PROMISE

Fast curing entry-level chemical mortar

FEATURES AND BENEFITS

- Ideal fast cure chemical mortar enables time saving during installation
- Styrene free to enable working in confined spaces
- 300 ml suitable for silicon gun
- Ideal for use with mesh sleeves in hollow materials
- Suitable for the most common studs M8 to M16
- Cures in substrate temperature range 5°C to 30°C
- Volatile Organic Compound (VOC) rating A+
- 18 months shelf life

APPLICATIONS

- Non safety critical multi-purpose applications
- Signs
- Blinds
- Demountable partitions
- Radiators and boilers
- Kitchen furniture
- Electrical switchboards

SUBSTRATES



SAFETY



PRODUCT RANGE

Item Description ▲▼	Volume ▲▼	Quantity ▲▼	Product Code ▲▼
C-MIX 300 STONE	300 ml	1	055865
C-MIX PLUS Grey 300ml Cartridge + 2 Nozzles	300 ml	1	055866
C-MIX PLUS Grey 380ml Cartridge + 1 Nozzle	380 ml	1	055881
C-MIX 380 STONE	380 ml	1	055882

CONSUMABLES



Threaded Studs - Zinc Plated

Threaded studs - zinc plated minimum 5µm, double chisel point

▲▼ Item Description	Anchor Thread Diameter ▲▼ (Metric)	Anchor Length ▲▼	Drill Hole Diameter ▲▼	Min. Drilling Depth ▲▼	Max. Fixing Thickness ▲▼	First Packaging Unit (Smallest Selling Unit) (Level 0) ▲▼	Quantity ▲▼	Product Code ▲▼
M10 x 130mm Threaded Chisel ZP	M10	130 mm	12 mm	90 mm	20 mm	CARDBOARD BOX	10	055801
M12 x 160mm Threaded Chisel ZP	M12	160 mm	14 mm	110 mm	25 mm	CARDBOARD BOX	10	055802
M16 x 190mm Threaded Chisel ZP	M16	190 mm	18 mm	125 mm	35 mm	CARDBOARD BOX	10	055803
M20 x 260mm Threaded Chisel ZP	M20	260 mm	25 mm	170 mm	65 mm	CARDBOARD BOX	5	055804
M8 x 110mm Threaded Chisel ZP	M8	110 mm	10 mm	80 mm	15 mm	CARDBOARD BOX	10	055800



PLASTIC SLEEVE

Plastic sleeve for chemical mortar in hollow material

▲▼ Item Description	▲▼ First Packaging Unit (Smallest Selling Unit) (Level 0)	▲▼ Quantity	▲▼ Product Code
12 x 45mm	BAG	10	565012
15 x 130mm	BAG	10	557080
15 x 85mm	BAG	10	557070
20 x 85mm	BAG	10	557090



CHEMICAL THREADED STUD WOOD SCREW SPIT

Chemical threaded stud wood screw spit

Item Description ▲▼	Anchor Thread Diameter ▲▼ (Metric)	Anchor Length ▲▼	Drill Hole Diameter ▲▼	Min. Drilling Depth ▲▼	Max. Fixing Thickness ▲▼	First Packaging Unit (Smallest Selling Unit) (Level 0) ▲▼	Quantity ▲▼	Product Code ▲▼
M10 x 100	M10	100 mm	12 mm	80 mm	20 mm	CARDBOARD BOX	10	061660
M12 x 100	M12	100 mm	14 mm	80 mm	20 mm	CARDBOARD BOX	10	061670
M8 x 100	M8	100 mm	10 mm	80 mm	12 mm	CARDBOARD BOX	10	061650



THREADED SOCKET

Chemical consumable - metal large thread zinc coated female stud.

▲▼ Item Description	▲▼ Anchor Thread Diameter (Metric)	▲▼ Anchor Length	▲▼ Drill Hole Diameter	▲▼ First Packaging Unit (Smallest Selling Unit) (Level 0)	▲▼ Quantity	▲▼ Product Code
M10x58	M10	58 mm	14 mm	CARDBOARD BOX	10	061750
M8x58	M8	58 mm	14 mm	CARDBOARD BOX	10	061740

ACCESSORIES



Eurocode 052977
Brush 30x120



Eurocode 051010
Wire Brush Extension Rod



Eurocode 051009
Wire Brush T Handle



Eurocode 063000
Injection gun manual 300



Eurocode 077151
Manual Injection Tool (380ml
- 410ml)



Eurocode 050919
Pneumatic Injection Tool
(410ml)



Eurocode 060052 ⚠
Injection gun electric battery
l-i 10,8v



Eurocode 055832
Manual Cleaning Kit + Tool
Box



Eurocode 065990
Hand Operated Blow Out
Tool



Eurocode 052971
11mm Wire Brush Head



Eurocode 052972
Brush 13x120



Eurocode 052973
15mm Wire Brush Head



Eurocode 052974
20mm Wire Brush Head



Eurocode 052975
22mm Wire Brush Head



Eurocode 052976
26mm Wire Brush Head

RECOMMENDED LOADS

Drill Hole Diameter ▲▼	Min. Drilling Depth ▲▼	Anchor Thread Diameter (Metric) ▲▼	Min. Fixing Distance ▲▼	Min. Edge Distance ▲▼	Anchor Shear Recommended Load Non Cracked Concrete C20/25 ▲▼
10 mm	80 mm	M8 -	160 mm	80 mm	2,85 kN
12 mm	90 mm	M10 -	180 mm	90 mm	4,6 kN
14 mm	110 mm	M12 -	220 mm	110 mm	6,65 kN
18 mm	125 mm	M16 -	250 mm	125 mm	12,6 kN