

IM65A F16 LITHIUM



PRODUCT DESCRIPTION

- Cordless gas finish nailer for 20° angled brads 16-gauge from 32 to 64mm

PRODUCT PROMISE

Premium gas driven angled finish nailer, with lithium technology

FEATURES AND BENEFITS

- No-mar contact with sight lines and angled magazine aids accurate placement and prevents the need for additional fixings
- Quick charge lithium battery provides up to 10,000 shots per single charge (90 mins)
- Improved weight and balance allows user to manoeuvre into tight spaces and work fatigue-free
- Easy use tool free depth adjustment
- Reversible belt hook and on/off battery lock position
- Quick clear nose cover provides easy access in the unlikely event of a jam
- Nail lockout prevents blank firing and minimises wood damage
- Easy rear loading magazine holds 2 strips of brads

APPROVALS



APPLICATIONS

- Architraves
- Skirting boards
- Tongue and groove panelling
- Door stops
- Window casing
- Dado rail
- Beading
- Stair rails

SUBSTRATES



SAFETY



PRODUCT RANGE

Item Description ▲▼	First Packaging Unit (Smallest Selling Unit) (Level 0) ▲▼	Quantity ▲▼	Product Code ▲▼
Impulse finish nailer IM65A F16 Lithium EU	PLASTIC CASE	1	013312

CONSUMABLES



AF16 ELECTROGALV 3µm BRADS

Indoors, Service Class 1

	▲▼ Fastener Length	▲▼ Fuel Cells	▲▼ Nail Head Type	▲▼ Quantity	▲▼ Eurocode
	32 mm	2	Full head	2000	300270*
	38 mm	2	Full head	2000	300271*
	45 mm	2	Full head	2000	300272*
	51 mm	2	Full head	2000	300273*
	63 mm	2	Full head	2000	300274*



AF16 STAINLESS STEEL A2 BRADS

Outdoors, Service Class 3

	▲▼ Fastener Length	▲▼ Fuel Cells	▲▼ Nail Head Type	▲▼ Quantity	▲▼ Eurocode
	32 mm	2	Full head	2000	300276*
	38 mm	2	Full head	2000	300277*
	50 mm	2	Full head	2000	300279*
	64 mm	2	Full head	2000	300280*



AF16 STAINLESS STEEL A4 BRADS

Outdoors, Service Class 3

	▲▼ Fastener Length	▲▼ Fuel Cells	▲▼ Nail Head Type	▲▼ Quantity	▲▼ Eurocode
	38 mm	2	Full head	2000	395631*
	51 mm	2	Full head	2000	395632*
	63 mm	2	Full head	2000	395633*

ACCESSORIES



Eurocode 900507
In-car Charger Adaptor



Eurocode 018881
Battery charger for Impulse
lithium tools EU



Eurocode 018880
Li-ion Battery for IM360Ci /
PPN35Ci / IM350+ / IM65 /
IM65A / IM50



Eurocode 018930
Panelling Probe for IM65A



Eurocode 013690
Impulse & Pulsa Cleaning Kit



Eurocode 115251
Impulse Cleaner 300ml



Eurocode 300341
Mini Fuel Cell Blister Pack
Yellow



Eurocode 014979 ⚠
IM65 / IM65A / IM50 Lithium
Tool Carry Case



Eurocode 012027
Panelling Probe for IM65



Eurocode 401482
Impulse Lubricating Oil

TECHNICAL INFORMATION

Battery

Description ▲▼	Values ▲▼
Fixings Per Battery Charge	10000 shots
Battery Charge Time	90 Min.
Battery Type	Lithium

Tool

Description ▲▼	Values ▲▼
Weight According EPTA (Kg)	2 kg
Net Depth Dimension	303 mm
Net Length Dimension	288 mm
Net Width Dimension	90 mm
Power (Impact Force)	30 J
Magazine Capacity	100 fixings
Fuel Cell Capacity	1000 shots
Operating Temperature Range	+5°C...+49 °C
Fixings Per Hour	1000 fixings
Fixings Per Sec	2-3 fixings

Consumables

Description ▲▼	Values ▲▼
Fastener Length Range	32-64 mm

Safety

Description ▲▼	Values ▲▼
Peak Sound Pressure (En 12549) Lpcpeak	131 dB(C)
Sound Pressure Level (En 12549) Lpa,1S,1M UoM	dB(A) 92
Vibration (EN ISO 8662-11) hav	2,8 m/s²